PHG Needs Assessment Calculator Mexico Newborn screening

Welcome to the PHG Health Needs Assessment Calculator for Newborn Screening. The contents of this file are listed below.

Full name of the sheet	Short name
Country demographic, maternal health and socioeconomic indicators	Demography
Country health-service indicators	HealthServices
Existing screening programmes for congenital disorders	NBS-NA1.1
Details of newborn screening programmes	NBS-NA1.2
Effect of newborn screening and treatment on congenital hypothyroidism	NBS-CHT
Effect of newborn screening and treatment on G6PD deficiency	NBS-G6PD
Effect of newborn screening and treatment on Rhesus haemolytic disease of newborn	NBS-RHD
Effect of newborn screening and management on sickle cell disease	NBS-SCD
Effect of newborn screening and management on thalassaemias	NBS-THAL
Effect of newborn screening and treatment on orofacial clefts	NBS-OFC
Effect of newborn screening and treatment on phenylketonuria	NBS-PKU
Effect of newborn screening and management on cystic fibrosis	NBS-CF

Mexico

Shared Data

Demographic, maternal health and socio-economic indicators

Please read first! If you have already completed a needs assessment for a different topic in this country, you will be able to copy the Demography information from that Calculator into here. The information should be the same.

By default, the Toolkit contains information at the national level.

If you would like to use a different population, then replace country information with that of your specific population of interest.

Number of persons by age-group and sex		Estimates Your estimates		Cho	sen estima	ates			
Age group	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-4 years	5346943	5181379	10528322			0			0
5-9 years	5604175	5443362	11047537			0			0
10-14 years	5547613	5392324	10939937			0			0
15-19 years	5520121	5505991	11026112			0			0
20-24 years	4813204	5079067	9892271			0			0
25-29 years	4205975	4582202	8788177			0			0
30-34 years	4026031	4444767	8470798			0			0
35-39 years	3964738	4328249	8292987			0			0
40-44 years	3350322	3658904	7009226			0			0
45-49 years	2824364	3104366	5928730			0			0
50-54 years	2402451	2661840	5064291			0			0
55-59 years	1869537	2025828	3895365			0			0
60-64 years	1476667	1639799	3116466			0			0
65+ years	3202871	3736042	6938913			0			0
Total	0	0	###	0	0	0	0	0	0
Female population aged 15-44 years		0			0			0	
Data year		2010 report	ed in 2011						
Source, Year			UN 2011						

Ethnicity. Please enter data for the main ethnic groups if you are working with a population that is different from that of the country.

Ethnic group	Number	% population

Fertility and mortality	Estimate	Source, Year	Your estimate	Source, Year	Chosen estimate	Source, Year
Sandarhirtateates bive hirther the Pobyeard at 900000000000000000000000000000000000	20	Unicef, 2007				
births	5	WHO, 2009				
Total births in 1000s (LB+SB) per year	2088.00	Unicef, 2007				
Infant mortality rate: infant deaths / 1000 LB / year	14.00	UNICEF				
Under-5 mortality rate: U5 deaths / 1000 LB / year	17.00	(名Qf付度F2010				
Percentage births in women >35 years		(2011), 2010				
Life expectancy at birth (yrs)	76	WHO, 2009				
% of marriages consanguineous						

Maternal health	Estimate	Source, Year	Your estimate	Source, Year	Chosen estimate	Source, Year
Prenatal visits – at least 1 visit (%)	98	WHO, 2006				
Prenatal visits – at least 4 visits (%)	88	WHO, 2006				
Births attended by skilled health personnel (%)	93.7	WHO, 2007				
Contraception prevalence rate (%)	70.9	WHO, 2006				
Unmet need for family planning (%)	12.0	WHO, 2006				
Total fertility rate	2.2	WHO, 2009				
% home births						
% births at health care services						
Newborn health	Estimate	Source, Year	Your estimate	Source, Year	Chosen estimate	Source, Year
Number of neonatal examinations by SBA / trained staff						
% neonatal examinations by SBA/ trained staff						

Socio-economic indicators	Estimate		Your estimate	Source, Year	Source, Year
Gross national income per capita (PPP int. \$)	14340	WHO, 2008			
% population living on < US\$1 per day	<2.0	WHO, 2006			
Birth registration coverage (%)					
Death registration coverage (%)	90-100	WHO, 2008			

LB = live births

PPP = purchasing power parity

SBA = skilled birth attendant

Mexico Shared Data Health Services Data

Please read first! If you have already completed a needs assessment for a different topic in this country, you will be able to copy the Health Services information from that Calculator into here. The information should be the same.

This section provides health-service-related information for your country.

By default, the Toolkit contains information at the national level.

If you would like to use a different population, then replace country information with that of your specific population of interest.

Health Expenditure	Estimate	Source, Year	Your estimate	Source, Year	Chosen estimate	Source, Year
Per capita total expenditure on health (PPP int. \$)	846	WHO, 2009				
Total expenditure on health as percentage of GDP	6.5	WHO, 2009				
Per capita government expenditure on health (PPP int. \$)	408	WHO, 2009				
External resources for health as percentage of total expenditure on health	0	WHO, 2009				
General government expenditure on health as percentage of total expenditure on health	48.3	WHO, 2009				
Out-of-pocket expenditure as percentage of private expenditure on health	92.3	WHO, 2009				
Private expenditure on health as percentage of total expenditure on health	51.7	WHO, 2009				
General government expenditure on health as percentage of total government expenditure	11.9	WHO, 2009				

Health Workforce	Estimate	Source, Year	Your estimate	Source, Year	Chosen estimate	Source, Year
Number of nursing and midwifery personnel	417665	WHO, 2004			Joannaco	100.
Nursing and midwifery personnel density (per 10,000 population)	39.8	WHO, 2004				
Number of physicians	303519	WHO, 2004				
Physician density (per 10 000 population)	28.93	WHO, 2004				
Number of obstetricians					İ	
Number of paediatricians						
Number of paediatric surgeons						
Number of paediatric cardiac surgeons						
Number of paediatric neurosurgeons						
Number of clinical geneticists						
Number of genetic counsellors						
Number of community health workers						
Number of skilled birth attendants (SBA)						
Density of SBA						

Number of lab staff providing cytogenetic testing			
Number of lab staff providing molecular genetics			
Number of lab staff providing biochemical tests for genetics			
Number of skilled health attendants			

Infrastructure	Estimate	Source, Year	Your estimate	Source, Year	Chosen estimate	Source, Year
Number of maternity units	Louinato	Tour	Commuto	loui	Commuto	Tour
Number of services providing specialised care for people with CD						
Number of family planning services						
Number of preconception services						
Number of services providing prenatal care						
Number of services providing newborn care						
Number of facilities providing genetic services						
Number of laboratories providing cytogenetics						
Number of laboratories providing molecular genetics						
Number of laboratories providing biochemical tests for genetics						
Number of facillities for safe terminations of pregnancies for fetal defects						

PPP = purchasing power parity GDP = gross domestic product SBA = skilled birth attendant

CD = congenital disorders

Mexico Newborn screening Existing screening programmes for congenital disorders

Condition	Tick if NBS programme exists	Tick if included in physical examination	Indicate whether NBS is provided at national or subnational level	Condition prevalence per 1000 newborns	Prevalence variation and high-risk populations
Eye problems					
Signs of heart disease					
Developmental dysplasia of hips					
Genital anomalies (e.g. undescended testicles)					
Orofacial clefts					
Dysmorphologies					
Hearing loss					
Congenital hypothyroidism					
G6PD deficiency					
PKU					
Cystic fibrosis					
Thalassaemias					
Sickle cell disease					
MCADD					
CAH					
Other					

NBS = newborn screening
G6PD = glucose-6-phosphate dehydrogenase
PKU = phenylketonuria
CAH= congenital adrenal hyperplasia
MCADD = medium-chain acyl-CoA dehydrogenase deficiency

Mexico Newborn screening Details of newborn screening programmes

Condition	Age at screen	Coverage (%)	Coverage variation and high-risk populations	Estimated proportion of affected newborns detected	Target coverage (%)
Newborn physical ex	aminatior	1			
Basic examination*					
Examination for gross abnormalities*					
Detailed physical examination					
Newborn hearing scr	eening				
Crude screening					
Equipment based screening					
Newborn bloodspot s	creening				
Congenital hypothyroidism					
PKU					
Cystic fibrosis					
Sickle cell disease					
G6PD deficiency					
MCADD					
CAH					
Other					

PKU = phenylketonuria

G6PD = glucose-6-phosphate dehydrogenase

MCADD = medium-chain acyl-CoA dehydrogenase deficiency

CAH= congenital adreanal hyperplasia

^{*} As defined in the Background document section titled Newborn Screening Tests

Mexico Newborn screening Effects of NBS and treatment on congenital hypothyroidism

Baseline birth prevalence of CHT, per 1000 total births*		
Variables		
Coverage of newborn screening		Range: 0 to 1
Proportion of positive-screened patients receiving diagnosis treatment		Range: 0 to 1
Effectiveness of treatment		Range: 0 to 1
Results		
Proportional reduction of uncontrolled cases of CHT through NBS and treatment ¹	0	
Prevalence of uncontrolled CHT after newborn screening and treatment, per 1000 total births ²	0	

LB = live births

CHT = congenital hypothyroidism

NBS = newborn screening

^{*} If you don't have data on birth prevalence but do have data on screening, you can estimate birth prevalence by combining the proportion screened positive with the number of total births. (This assumes that screening is randomly distributed in the population).

¹Coverage of newborn screening X Proportion of screen-positive cases receiving treatment X Effectiveness of treatment

²Baseline birth prevalence – (Proportional reduction of uncontrolled cases of CHT X Baseline birth prevalence)

Mexico Newborn screening Effects of NBS and treatment on G6PD deficiency

Baseline birth prevalence of G6PD deficiency, per 1000 LB		
Variables		
Coverage of newborn screening		Range: 0 to 1
Proportion of positive-screened patients receiving treatment		Range: 0 to 1
Effectiveness of treatment		Range: 0 to 1
Results		
Proportional reduction of uncontrolled cases through NBS and treatment ¹	0	
Prevalence of uncontrolled G6PD deficiency after newborn screening and treatment, per 1000 LB ²	0	

LB = live births

NBS = newborn screening

G6PD = glucose-6-phosphate dehydrogenase

¹Coverage of newborn screening X Proportion of screen-positive cases receiving treatment X Effectiveness of treatment

²Baseline birth prevalence – (Proportional reduction of uncontrolled cases of G6PD X Baseline birth prevalence)

^{*} If you don't have data on birth prevalence but do have data on screening, you can estimate birth prevalence by combining the proportion screened positive with the number of total births. (This assumes that screening is randomly distributed in the population).

Mexico Newborn screening Effects of NBS and treatment on RHD

Baseline birth prevalence of RHD, per 1000 LB		
Variables		
Coverage of newborn screening		Range: 0 to 1
Proportion of positive-screened patients receiving treatment		Range: 0 to 1
Effectiveness of treatment		Range: 0 to 1
Results		
Proportional reduction of uncontrolled cases through NBS and treatment ¹	0	
Prevalence of uncontrolled RHD deficiency after newborn screening and treatment, per 1000 LB ²	0	

LB = live births

NBS = newborn screening

RHD = Rhesus Haemolytic Disease of Newborn

¹Coverage of newborn screening X Proportion of screen-positive cases receiving treatment X Effectiveness of treatment

²Baseline birth prevalence – (Proportional reduction of uncontrolled cases of RHD X Baseline birth prevalence)

^{*} If you don't have data on birth prevalence but do have data on screening, you can estimate birth prevalence by combining the proportion screened positive with the number of total births. (This assumes that screening is randomly distributed in the population).

Mexico Newborn screening Effects of NBS and management on sickle cell disease

Baseline birth prevalence of sickle cell disease, per 1000 LB		
Variables		
Proportion of the street for the str		Range: 0 to 1
management		Range: 0 to 1
Effectiveness of management		Range: 0 to 1
Results		
Proportional reduction in unmanaged cases of SCD through NBS and treatment ¹	0	
Prevalence of unmanaged sickle cell disease after newborn screening and treatment, per 1000 LB ²	0	

LB = live births

SCD = sickle cell disease

NBS = newborn screening

^{*} If you don't have data on birth prevalence but do have data on screening, you can estimate birth prevalence by combining the proportion screened positive with the number of total births. (This assumes that screening is randomly distributed in the population).

¹Coverage of newborn screening X Proportion of screen-positive cases receiving treatment X Effectiveness of treatment

²Baseline birth prevalence – (Proportional reduction of unmanaged cases of SCD X Baseline birth prevalence)

Mexico Newborn screening Effects of NBS and management on thalassaemias

Baseline birth prevalence of thalassaemias, per 1000 LB		
Variables		
Coverage of newborn screening		Range: 0 to 1
Proportion of screen-positive patients referred for treatment		Range: 0 to 1
Effectiveness of management		Range: 0 to 1
Results		
Proportional reduction of prevalence of unmanaged thalassaemias through NBS and treatment ¹	0	
Prevalence of unmanaged thalassaemias after newborn screening and treatment, per 1000 LB ²	0	

LB = live births

NBS = newborn screening

* If you don't have data on birth prevalence but do have data on screening, you can estimate birth prevalence by combining the proportion screened positive with the number of total births. (This assumes that screening is randomly distributed in the population).

¹Coverage of newborn screening X Proportion of screen-positive cases receiving treatment X Effectiveness of treatment

²Baseline birth prevalence – (Proportional reduction of unmanaged cases of thalassaemia X Baseline birth prevalence)

Mexico Newborn screening Effects of NBS and treatment on orofacial clefts

Baseline birth prevalence of orofacial clefts, per 1000 LB		
Variables		
Coverage of newborn screening		Range: 0 to 1
Proportion of screen-positive patients receiving treatment		Range: 0 to 1
Effectiveness of treatment		Range: 0 to 1
Results		
Proportional reduction of prevalence of untreated OFCs through NBS and treatment ¹	0	
Prevalence of untreated OFCs after newborn screening and treatment, per 1000 LB ²	0	

LB = live births

OFCs = orofacial clefts

NBS = newborn screening

¹Coverage of newborn screening X Proportion of screen-positive cases receiving treatment X Effectiveness of treatment

²Baseline birth prevalence – (Proportional reduction of untreated cases of OFC X Baseline birth prevalence)

^{*} If you don't have data on birth prevalence but do have data on screening, you can estimate birth prevalence by combining the proportion screened positive with the number of total births. (This assumes that screening is randomly distributed in the population).

Mexico Newborn screening Effects of NBS and treatment on phenylketonuria

Baseline birth prevalence of PKU, per 1000 LB		
Variables		
Coverage of newborn screening		Range: 0 to 1
Proportion of positive-screened patients receiving treatment		Range: 0 to 1
Effectiveness of treatment		Range: 0 to 1
Results		
Proportional reduction of prevalence of clinical cases of PKU through NBS and treatment ¹	0	
Prevalence of symptomatic PKU after newborn screening and treatment, per 1000 LB ²	0	

LB = live births

PKU = phenylketonuria

NBS = newborn screening

¹Coverage of newborn screening X Proportion of screen-positive cases receiving treatment X Effectiveness of treatment

²Baseline birth prevalence – (Proportional reduction of prevalence of clinical cases of PKU X Baseline birth prevalence)

^{*} If you don't have data on birth prevalence but do have data on screening, you can estimate birth prevalence by combining the proportion screened positive with the number of total births. (This assumes that screening is randomly distributed in the population).

Mexico Newborn screening Effects of NBS and management on cystic fibrosis

Baseline birth prevalence of cycstic fibrosis, per 1000 LB		
Variables		
คิดพูชาสมราชากุรพราคพาย sereenel patients referred for		Range: 0 to 1
management		Range: 0 to 1
Effectiveness of management		Range: 0 to 1
Results		
Proportional reduction of prevalence of unmanaged cystic fibrosis through NBS and treatment ¹	0	
Prevalence of unmanaged cystic fibrosis after newborn screening and treatment, per 1000 LB ²	0	

LB = live births

NBS = newborn screening

* If you don't have data on birth prevalence but do have data on screening, you can estimate birth prevalence by combining the proportion screened positive with the number of total births. (This assumes that screening is randomly distributed in the population).

¹Coverage of newborn screening X Proportion of positive-screened patients referred for management X Effectiveness of management

²Baseline birth prevalence – (Proportional reduction of prevalence of unmanaged cases X Baseline birth prevalence)