

**PHG Needs Assessment Calculator**  
**Rwanda**  
**Teratogens**

Welcome to the PHG Health Needs Assessment Calculator for Teratogens. The contents of this file are listed below.

<b>Full name of the sheet</b>	<b>Short name</b>
Country demographic, maternal health and socioeconomic indicators	Demography
Country health service data	HealthServices
Teratogenic risk factors for congenital disorders in women of reproductive age	TER-NA1.1
Epidemiology of birth defects caused by teratogens	TER-NA1.2
TER Interventions 1:Effect of preconception screening and treatment	TER-Interv1
TER Interventions 2:Effect of prenatal screening and pregnancy termination	TER-Interv2
TER Needs Assessment Calculator 3: Quantitative assessment of interventions	TER-NA3

(There is no sheet TER-NA2.)

**Rwanda**  
**Shared Data**  
**Demographic, maternal health and socio-economic indicators**

**Please read first! If you have already completed a needs assessment for a different topic in this country, you will be able to copy the Demography information from that Calculator into here. The information should be the same.**

By default, the Toolkit contains information at the national level.

If you would like to use a different population, then replace country information with that of your specific population of interest.

Number of persons by age-group and sex Age group	Estimates			Your estimates			Chosen estimates		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-4 years	2166497	2073685	4240182			0			0
5-9 years	2423045	2332605	4755650			0			0
10-14 years	2466554	2341397	4807951			0			0
15-19 years	2673020	2556211	5229231			0			0
20-24 years	2666818	2557162	5223980			0			0
25-29 years	2689331	2619285	5308616			0			0
30-34 years	2687096	2672470	5359566			0			0
35-39 years	2682393	2827170	5509563			0			0
40-44 years	2672764	2873244	5546008			0			0
45-49 years	2514945	2687862	5202807			0			0
50-54 years	2197779	2372536	4570315			0			0
55-59 years	1687548	1860535	3548083			0			0
60-64 years	1231302	1390595	2621897			0			0
65+ years	2308267	3079801	5388068			0			0
Total	33067359	34244558	67311917	0	0	0	0	0	0
Female population aged 15-44 years		16105542			-			-	
Data year	2011 reported in 2011								
Source, Year	UN 2011								

**Ethnicity. Please enter data for the main ethnic groups if you are working with a population that is different from that of the country.**

Ethnic group	Number	% population

<b>Fertility and mortality</b>	<b>Estimate</b>	<b>Source, Year</b>	<b>Your estimate</b>	<b>Source, Year</b>	<b>Chosen estimate</b>	<b>Source, Year</b>
Crude birth rate: live births (LB) / year / 1000 population	40.93	Unicef, 2013				
Still birth rate: still births (SB) / year / 1000 total births	22.78	WHO, 2009				
Total births in 1000s (LB+SB) per year	449	Unicef, 2013				
Infant mortality rate: infant deaths / 1000 LB / year	38.1	Unicef, 2013				
Under-5 mortality rate: U5 deaths / 1000 LB / year	54.1	Unicef, 2013				
Percentage births in women >35 years						
Life expectancy at birth (yrs)	55.44	Unicef, 2013				
% of marriages consanguineous						

<b>Maternal health</b>	<b>Estimate</b>	<b>Source, Year</b>	<b>Your estimate</b>	<b>Source, Year</b>	<b>Chosen estimate</b>	<b>Source, Year</b>
Prenatal visits – at least 1 visit (%)	98.0	Unicef, 2013				
Prenatal visits – at least 4 visits (%)	35.4	Unicef, 2013				
Births attended by skilled health personnel (%)	69	Unicef, 2013				
Contraception prevalence rate (%)	51.6	Unicef, 2013				
Unmet need for family planning (%)	37.9	WHO, 2005				
Total fertility rate	5.34	Unicef, 2013				
% home births						
% births at health care services	68.90	Unicef, 2013				
<b>Newborn health</b>	<b>Estimate</b>	<b>Source, Year</b>	<b>Your estimate</b>	<b>Source, Year</b>	<b>Chosen estimate</b>	<b>Source, Year</b>
Number of neonatal examinations by SBA / trained staff						
% neonatal examinations by SBA/ trained staff						

<b>Socio-economic indicators</b>	<b>Estimate</b>	<b>Source, Year</b>	<b>Your estimate</b>	<b>Source, Year</b>	<b>Chosen estimate</b>	<b>Source, Year</b>
Gross national income per capita (PPP int. \$)	1240	Unicef, 2013				
% population living on < US\$1 per day	76.6	Unicef, 2013				
Birth registration coverage (%)	63.2	WHO 2010				
Death registration coverage (%)						

LB = live births

PPP = purchasing power parity

SBA = skilled birth attendant

**Rwanda**  
**Shared Data**  
**Health Services Data**

**Please read first!** If you have already completed a needs assessment for a different topic in this country, you will be able to copy the Health Services information from that Calculator into here. The information should be the same.

This section provides health-service-related information for your country.

**By default, the Toolkit contains information at the national level.**

**If you would like to use a different population, then replace country information with that of your specific population of interest.**

<b>Health Expenditure</b>	<b>Estimate</b>	<b>Source, Year</b>	<b>Your estimate</b>	<b>Source, Year</b>	<b>Chosen estimate</b>	<b>Source, Year</b>
Per capita total expenditure on health (PPP int. \$)	134.6	WHO 2011				
Total expenditure on health as percentage of GDP	10.8	WHO 2011				
Per capita government expenditure on health (PPP int. \$)	76.4	WHO 2011				
External resources for health as percentage of total expenditure on health	25.3	WHO 2011				
General government expenditure on health as percentage of total expenditure on health	56.7	WHO 2011				
Out-of-pocket expenditure as percentage of private expenditure on health	49.4	WHO 2011				
Private expenditure on health as percentage of total expenditure on health	43.3	WHO 2011				
General government expenditure on health as percentage of total government expenditure	23.7	WHO 2011				

<b>Health Workforce</b>	<b>Estimate</b>	<b>Source, Year</b>	<b>Your estimate</b>	<b>Source, Year</b>	<b>Chosen estimate</b>	<b>Source, Year</b>
Number of nursing and midwifery personnel	4050	WHO, 2005				
Nursing and midwifery personnel density (per 10,000 population)	4.5	WHO, 2005				
Number of physicians	221	WHO, 2005				
Physician density (per 10,000 population)	0.24	WHO, 2005				
Number of obstetricians						
Number of paediatricians						
Number of paediatric surgeons						
Number of paediatric cardiac surgeons						
Number of paediatric neurosurgeons						
Number of clinical geneticists						
Number of genetic counsellors						
Number of community health workers						
Number of skilled birth attendants (SBA)						
Density of SBA						
Number of lab staff providing cytogenetic testing						

Number of lab staff providing molecular genetics						
Number of lab staff providing biochemical tests for genetics						
Number of skilled health attendants						

<b>Infrastructure</b>	<b>Estimate</b>	<b>Source, Year</b>	<b>Your estimate</b>	<b>Source, Year</b>	<b>Chosen estimate</b>	<b>Source, Year</b>
Number of maternity units						
Number of services providing specialised care for people with CD						
Number of family planning services						
Number of preconception services						
Number of services providing prenatal care						
Number of services providing newborn care						
Number of facilities providing genetic services						
Number of laboratories providing cytogenetics						
Number of laboratories providing molecular genetics						
Number of laboratories providing biochemical tests for genetics						
Number of facilities for safe terminations of pregnancies for fetal defects						

PPP = purchasing power parity

GDP = gross domestic product

SBA = skilled birth attendant

CD = congenital disorders

**Rwanda****Teratogens****Teratogenic risk factors for congenital disorders in women of reproductive age**

<b>Risk factors</b>	<b>Proportion of women with risk factor</b>	<b>Qualitative assessment*</b>	<b>Variation</b>	<b>Source</b>
Teratogen exposure: environmental, agricultural and occupational				
Exposure to teratogenic prescribed and non-prescribed medicines				
Syphilis				
Rubella susceptibility				
Rubella infection				
Other infections (e.g. CMV or HIV)				
Alcohol consumption				
Tobacco use				
Iodine deficiency				
Folate deficiency				
Other risk factors				
Obesity				
Diabetes				

\* Complete if numerical data are unavailable. Use numbers from 1 to 5, where 1 = low importance and 5 = high importance.

**Rwanda****Teratogens****Epidemiology teratogen associated congenital disorders**

Please enter data either for a specific teratogen or for congenital disorders caused by teratogens as a whole.

<b>Table TER-NA1.2a Burden of disease in pregnancy, at birth and at population level</b>			
Chosen estimates			
Indicator	Number (n)	n/1000 TB	Range of prevalence (/1000 TB)
Annual affected live births (LB)			
Annual affected stillbirths (SB)			
Annual affected births (LB+SB)			
Annual affected persons (all age groups)			
<b>Table TER-NA1.2b Mortality indicators</b>			
Chosen estimates			
Indicator	Number (n)	n/1000 LB	Range of prevalence (/1000 TB)
Annual overall mortality			
Annual neonatal mortality			
Annual infant mortality			
Annual under-5 mortality			
Mean life expectancy at birth among affected people			

TB = total births (live births + stillbirths)

**Rwanda**

**Teratogens**

**TER Interventions 1:Effect of preconception screening and treatment**

Baseline prevalence of teratogen-induced congenital disordersper 1000 total births (live + still)		
Variables		
Proportion of women reducing teratogen risk to safe levels during pregnancy		Range: 0 to 1
Effectiveness of interventions on the outcome		Range: 0 to 1
Results		
% prevalence reduction due to intervention per 1000 total births		0%
Final prevalence of teratogen-induced congenital disorders per 1000 births		0.000



**Rwanda****Teratogens****TER Interventions 1: Effects of prenatal screening and pregnancy termination**

Assumption: prenatal services are equally used for cases which would lead to still births and live births.

This could overestimate the impact of ToP if in fact ToP is more likely for severe cases that would result in still birth.

Conversely, the impact of ToP could be underestimated if screening is only available to high-income women at lower risk.

100% specificity of prenatal diagnosis assumed.

Baseline prevalence, per 1000 TB (LB + SB)		See previous sheet. Use baseline either before or after interventions.
Variables		
Coverage of prenatal diagnosis		Range: 0 to 1
Choice of ToP in confirmed cases		Range: 0 to 1
Results		
% prevalence reduction due to PNS		0%
Prevalence reduction due to PNS		0.000
Final prevalence after PNS		0.000

PNS = prenatal screening

ToP = termination of pregnancy

TB = total births (live births + still births)

**Rwanda****Teratogens****TER Needs Assessment 3: Quantitative assessment of interventions**

<b>Table TER-NA3a</b>	<b>Estimated prevalence in the absence of interventions for TER</b>	
Indicator	Number (n)	Prevalence (n/1000)
Women of childbearing age at increased teratogenic risk		
Potential live births		
Potential still births		

<b>Table TER-NA3b</b>	<b>Current situation in relation to interventions before pregnancy</b>		
Intervention	Coverage (%)	Cases averted (n)	Cases averted/1000 TB
Effect of family planning, education			
Occupational health monitoring			
Environmental health monitoring			
Interventions to reduce risk			
Information on risks and exposures			
Overall effect			

<b>Table TER-NA3c</b>	<b>Target situation in relation to interventions before pregnancy</b>		
Intervention	Coverage (%)	Cases averted (n)	Cases averted/1000 TB
Effect of family planning, education			
Occupational health monitoring			
Environmental health monitoring			
Interventions to reduce risk			
Information on risks and exposures			
Overall effect			

<b>Table TER-NA3d</b>	<b>Current situation in relation to interventions during pregnancy</b>		
Intervention	Coverage (%)	Cases managed (n)	Cases managed/1000 TB
Education on risks			
Targeted prenatal screening based on exposure			
Prenatal diagnosis			
Termination of pregnancy			
Maternal protection legislation			
Information on risks and exposures			
Overall effect			

<b>Table TER-NA3e</b>	<b>Target situation in relation to interventions during pregnancy</b>		
Intervention	Coverage (%)	Cases managed (n)	Cases managed/1000 TB
Education on risks			
Targeted prenatal screening based on exposure			
Prenatal diagnosis			
Termination of pregnancy			
Maternal protection legislation			
Information on risks and exposures			
Overall effect			

<b>Table TER-NA3f</b>	<b>Current situation in relation to interventions after birth</b>		
Intervention	Coverage (%)	Cases managed (n)	Cases managed/1000 LB
Effect of newborn screening			
Effect of newborn diagnosis			
Effect of clinical and related interventions			
Effect of social care and support			
Effect of education interventions			
Compensation legislation			
Overall effect			

<b>Table TER-NA3g</b>	<b>Target situation in relation to interventions after birth</b>		
Intervention	Coverage (%)	Cases managed (n)	Cases managed/1000 LB
Effect of newborn screening			
Effect of newborn diagnosis			
Effect of clinical and related interventions			
Effect of social care and support			
Effect of education interventions			
Compensation legislation			
Overall effect			

<b>Table TER-NA3h</b>	<b>Current and desired outcomes</b>			
	<b>Current situation</b>		<b>Target situation</b>	
Indicator	Annual number (n)	Incidence (n/1000)	Annual number (n)	Incidence (n/1000)
<b>Estimated affected pregnancies</b>				
Live births (LB)				
Still births (SB)				
All births (LB+SB)				
<b>Estimated population prevalence</b>				
All age groups				
<b>Estimated mortality / 1000 live births</b>				
Neonatal deaths				
Infant deaths				
Under-5 deaths				

TB = total births (live births + still births)